

Anchors



Ladder Jig Mount Anchor Set

Standard anchors are securely fastened to a steel framework (jig). Assures perfect alignment for 20" center-to-center mounting.

Ladder Jig Mount Anchor Set

Dimensions: 3 1/8" T, 22 1/8" L, 1.90" I.D.. Weight: 8 lbs.

- 1.9" Stainless Steel.....44-304
- 1.5" Stainless Steel.....

Figure Four Grab Rail Jig

- 1.5" Stainless Steel..... 1.5FIG4JIG

Pretzel Rail Jig

- 1.5" Stainless Steel..... 1.5PRETZJIG

Bronze Anchor Socket



H.D. Bronze Anchor Socket PS-4019B

Dimensions: 4-1/8" T, 1.90" I. D.

1.50" Bronze Anchor PS-4015B

Dimensions: 4.10" T, 1.50" I.D.

Escutcheons



Add the finishing touch to anchor sockets. Available in chrome plated brass, stainless steel and cyclac. For use around 1.90" deck equipment.

Stamped Stainless Steel 44-309

Chrome Plated Brass 44-310

Keyhole style with locking screw.

KDI Stamped Stainless Steel..... 44-315

KDI Chrome Plated Brass 44-317

1.9" Stainless Steel, (round)..... PE-0019S

1.5" Stainless Steel, (round)..... PE-0015S

Cup Anchors & Rope Hooks



Specialty fittings such as the cup anchor and rope hooks are designed for ease of installation.

Rope Anchor with s/s bar (white) 54-2044

Rope Hook 54-2142

for 3/4 in. rope

Bronze Rope Anchor..... 4216-GS

PART	DESCRIPTION
Cup Hook & Anchor	
1.5GIF4JIG	FIGURE FOUR GRAB RAIL JIG - 1.5" STAINLESS STEEL
1.5PRETZJIG	PRETZEL RAIL JIG - 1.5" STAINLESS STEEL
PS-4019B	H.D. BRONZE ANCHOR SOCKET
PS-4015B	4" BRONZE ANCHOR
542142	ROPE HOOK
PH-53	ROPE HOOK
542044	ROPE ANCHOR WITH S/S BAR (white)
4216-GS	BRONZE CUP ROPE ANCHOR
Escutcheon	
PE-0019S	1.9" ROUND STAINLESS STEEL ESCUTCHEON
PE-0015S	1.5" ROUND STAINLESS STEEL ESCUTCHEON
44-315	KDI STAMPED STAINLESS STEEL ESCUTCHEON
44-317	KDI CHROME PLATED BRASS ESCUTCHEON

Diving Boards



Maxiflex Model B

The 16' Maxiflex model B (also called Maxi-B) is the diving board that is used in all major diving competitive events in the world.

Maxiflex Model B.....66-231-330

Duraflex

The 16' Duraflex is used for recreational diving in commercial pools such as City pools, YMCA pools and other pools that conform to U.S. Diving/FINA minimums (or better) regarding depths of water underneath and out ahead of the diving board.

Duraflex 66-231-326

Duraflex 14'

The 14' Duraflex diving board is used for recreational diving in pools that have diving-well dimensions conforming to state or local codes regarding minimum depth of water underneath and out ahead of the diving board where it is to be installed.

Duraflex 14' 66-231-324

PART	DESCRIPTION
Diving Board	
66-231-324	DURAFLEX 14' SPRINGBOARD
66-231-326	DURAFLEX 16' SPRINGBOARD
66-231-330	MAXI MODEL B 16' DURAFLEX SPRINGBOARD

Diving Stands

Durafirm Three-Meter Stand



This famous three-meter stand features simple 8-point deck anchorage which requires no special footings. In many cases, the three-meter tower can be installed on an existing deck if the concrete is of good quality and at least 4 1/2" thick.

When ordering, indicate deck-to-water-level dimension, and length and type of diving board to be used.

Durafirm One-Meter Stands



The one-meter stands are available with single guard rail on one side, single guard rails on both sides or double guard rails on both sides. One-meter stands, like the three-meter units, have hinged board anchors which allow easy tilting of the board.

When ordering, indicate deck-to-water dimension, and length and type of board to be used.

Durafirm Short Stands



Durafirm Short Stands have fulcrum units identical to the 1M and 3M stands, and similar Hand Rails and anchoring units. They are designed for use on concrete supports or platforms, with the use of 6 Durafirm bronze anchors, at either one or three meter level.

PART	DESCRIPTION
Diving Board Stands	
70-231-300	DURAFIRM 3M DIVING STANDS W/DOUBLE GUARD RAILS ON 2 SIDES
70-231-400	DURAFIRM 1M DIVING STAND DOUBLE GUARD RAILS BOTH SIDES
70-231-405	DURAFIRM 1M DIVING STAND DOUBLE GUARD RAILS ONE SIDES
70-231-520	DURAFIRM SHORT STAND HAND RAILS BOTH SIDES
70-231-525	DURAFIRM SHORT STAND HAND RAILS ONE SIDES
70-231-524	DURAFIRM SHORT STAND NO HAND RAILS
Diving Board/Stand Parts	
70-231-900-8	DURAFIRM BRONZE DECK ANCHORS FOR 1m AND 3m DIVING BOARD STANDS (SET OF 8) 1m and 3m
70-231-900-6	DURAFIRM BRONZE DECK ANCHORS FOR 1m AND 3m DIVING BOARD STANDS (SET OF 6) SHORT STAND
DDA-1/3M	DURAFLEX DECK ANCHORAGE 1 & 3 M STAND
DDA-SHORT	DURAFLEX DECK ANCHORAGE SHORT STAND

Line Floats



Unsinkable, durable, polyethylene floats. Ideal for safety lines and recreational lane lines. Order floats keepers separately.

Stanchion Posts



For supporting backstroke lines, finish lines, recall lines and splash curtains. Made of stainless steel tube, capped at one end with a T304 stainless steel closure plate and U-hook. A sliding collar with eye bolt is optional and can include one or two eye bolts per collar. styles are available. Cast bronze with slip-fit cap (or threaded cap) plus stainless steel with slip-fit cap.

Flags



These vinyl pennants are spaced and sized to meet AAU and NCAA requirements. Standard unit is multi-color. Special order colors are available upon request.)

Heavy-Duty Vinyl Pennant Lines

Triangular pennants or alternating colors spaced according to regulations. Pennants and line are of synthetic materials. Specify pool width when ordering - 5'0" extra cord will be provided at each end to reach to stanchions. Specify colors desired.

Rope




PART	DESCRIPTION
Flags	
92-300	BACKSTROKE FLAGS - 100' STRING OF FLAGS
92-301	BACKSTROKE FLAGS - 50' STRING OF FLAGS
92-304	BACKSTROKE FLAGS - HD VINYL - 12" x 18" - UNASSEMBLED
92-304.A	BACKSTROKE FLAGS - HD VINYL - 12" x 18" - ASSEMBLED - UP TO 25M
92-305	FINISH LINE FLAGS - HD VINYL - 18" x 30" - UNASSEMBLED
92-305.A	FINISH LINE FLAGS - HD VINYL - 18" x 30" - ASSEMBLED - UP TO 25M
92-312.A	BACKSTROKE FLAGS - HD VINYL - 12" x 18" - ASSEMBLED - 25M PLUS
92-313.A	FINISH LINE FLAGS - HD VINYL - 18" x 30" - ASSEMBLED - 25m PLUS
Float	
R181086	LINE FLOAT - 5"x9" OVAL BLUE & WHITE
Float Accessory	
R181436	LINE FLOAT KEEPER - 3/4" ROPE
Post	
SS-SP4-065	4'-6" RECALL STANCHION - .065 WALL W/ TOP LOOP
SS-SP4-109	4'-6" RECALL STANCHION - .109 WALL W/ TOP LOOP
SS-SP4-145	4'-6" RECALL STANCHION - .145 WALL W/ TOP LOOP
SS-SP8-065	8' BACKSTROKE STANCHION - .065 WALL W/ TOP LOOP
SS-SP8-109	8' BACKSTROKE STANCHION - .109WALL W/ TOP LOOP
SS-SP8-145	8' BACKSTROKE STANCHION - .145 WALL W/ TOP LOOP
Post Accessory	
SS-SPSC	SLIDING COLLAR w/ EYE BOLT
Rope	
PR75-3	3/4" BLUE & WHITE ROPE (50' LENGTH)

Guard Chairs

Permanent Guard Chairs


Paraflyte OSHA Chair



Designed for usage that requires chairs to comply with federal OSHA regulations. Guard rails are 42" above the platform and extend to the front of the platform. Platform height is 4'6" and the seat height is 6'0" above the deck. Furnished with all required anchors and escutcheon plates.

Paraflyte OSHA Chair42-640
Stainless steel rails are .065" wall and 1.90" diameter.

Paraflyte Club Chair



A single anchor at stainless steel pedestal base supports the entire chair. The vertical access ladder requires less deck space and does not need separate anchors. Platform height is 4'6" and the seat height is 6'0" above the deck. Anchors furnished.

Paraflyte Club Chair.....42-613
Stainless steel rails are .065" wall and 1.90" diameter.
Shipping Weight: 175 lbs.

Standard Lifeguard Chair



The seat, backrest, and footrest with non-skid surface are fabricated of laminated wood coated with fiberglass and polyester resin. The frame is constructed of stainless steel tube and ABS steps. Furnished with holders for rescue tube and umbrella. Platform is 4' 4" and seat height is 6'0" above deck. Order anchors and escutcheon plates separately.

Standard Lifeguard Chair42-621
Stainless steel rails are .065" wall and .709" diameter.
Shipping Weight: 90 lbs.

H.D. Bronze Anchor Socket44-300
Dimensions: 4- 1/8" T x 1.90" I.D.

Shipping Weight: 3 lbs.

SS Escutcheon Plate44-315
Shipping Weight: 1 lb.

Paraflyte Chair, ladder at Rear



Ladder at rear with flared guard rails provide easy access to the platform. Platform height is 4'6" and the seat height is 6'0" above the deck. Furnished with all required anchors and escutcheon plates.

Paraflyte (Ultraflyte) Chair 42-610
Stainless steel rails are .145" wall and 1.90" diameter.
Shipping Weight: 187 lbs.

Paraflyte (Superflyte) Chair 42-611
Stainless steel rails are .065" wall and 1.90" diameter.
Shipping Weight: 157 lbs.

Paraflyte Chair, ladder at Sides



Two access ladders, one at each side, allow the lifeguard to dismount quickly and safely - from either side. Platform height is 4'6" and the seat height is 6'0" above the deck. Furnished with all required anchors and escutcheon plates

Paraflyte Chair, Ladders at Side 42-630
Stainless steel rails are .065" wall x 1.90" dia. Shipping Weight: 183 lbs

Portable Guard Chairs



Constructed of electro-polished 1.625" diameter stainless steel tube. Seat, steps and platform are molded in glass reinforced polypropylene. The economical chair is the ideal chair when easy portability is necessary. Includes umbrella

holder.

The seat is 6' above deck. (Not suitable for diving)

6' Stainless Steel Chair18164
Dimensions: Front - 4'6" (center to center) Side - 4'9" (center to wheel to center of leg)
Seat Height: 6'
Shipping Weight: 147 lbs.